



BLACKLINE 1116-1620 FA FEEDER 800/500 HIGH SPEED FULLY AUTOMATIC SHEET-TO-SHEET LAMINATING/MOUNTING MACHINE

HIGH SPEED

Up to 5000 sheets/hour



EDGE TO EDGE

Consistant registration accuracy up to 0,2mm

MEDIUM CAPACITY

500mm Top feeder - 800mm Bottom feeder



AUTOMATIC FEEDER

Suction cup picker for top and bottom feeder

BLACKLINE

The Lamina FA Blackline is a highly accurate, high speed sheet-to-sheet fully automatic laminating/mounting machine. The machine can handle most of the existing materials in the market.


The compact construction makes the machine operator friendly with a very short set-up time. The modular construction allows easy upgrading and maintainance resulting in a machine that lasts for many years.

A number of options such as Single Face Feeder, Down Stacker, Flip-Flop, Pressure Belt etc. can be added whenever required.



← More info and video






BLACKLINE 1116-1620 FA FEEDER 800/500 HIGH SPEED FULLY AUTOMATIC SHEET-TO-SHEET LAMINATING/MOUNTING MACHINE

Size Range Model	Maximum Sheet Size		Machine Size		
	Width	Length	Width	Length A	Weight
1116 BL	1100 mm (43")	1600 mm (63")	2050 mm (81")	4600 mm (181")	2800 kg (6170 lbs)
1416 BL	1400 mm (55")	1600 mm (63")	2350 mm (92")	4600 mm (181")	3000 kg (6610 lbs)
1420 BL	1400 mm (55")	2000 mm (79")	2350 mm (92")	5400 mm (212")	3100 kg (6830 lbs)
1620 BL	1600 mm (63")	2000 mm (79")	2550 mm (100")	5400 mm (212")	3400 kg (7490 lbs)

Minimum Sheet Width	350 mm (13¾")
Minimum Sheet Length	350 mm (13¾")
Feeder Capacity	Top feeder: 500 mm (20") Bottom feeder: 800 mm (32")
Top Sheet	130 to 450 g/m ² 1 pts = 28,25 g/m ²
Bottom Sheet	From 250 g/m ² to 10 mm (0,39") 1 pts = 28,25 g/m ² corrugated from 0,6 - 10 mm (0,016" - 0,39")
Registration Accuracy*	Up to 0,2mm (0,008")
Total Installed Power	5,0 kW
Electrics	208 V, 3 phase, 60 cycle; or 400 V, 3 phase, neutral, 50/60 cycle; or Specified
Air Requirements	6 bar; 80 psi; 34 CFM, Approximately 500 L/min

* Depends on properties of materials being used and existing operating conditions.

OPTIONS



← More info and video

